SAFETY DATA SHEET

B31W1153

Section 1. Identification

Product name	: ProClassic® Waterborne Interior Acrylic Semi-Gloss Enamel Deep Base
Product code	: B31W1153
Other means of identification	: Not available.
Product type	: Liquid.
Relevant identified uses of t	he substance or mixture and uses advised against
Not applicable.	
Manufacturer	: THE SHERWIN-WILLIAMS COMPANY 101 W. Prospect Avenue Cleveland, OH 44115
National contact	: The Sherwin-Williams Company 418 North Service Road East Oakville, Ontario L6H 5R2 Canada
Emergency telephone number of the company	: US / Canada: (216) 566-2917 Mexico: SETIQ 01-800-00-214-00 / (52) 55-5559-1588 24 hours / 365 days a year
Product Information Telephone Number	: US / Canada: Not Available Mexico: Not Available
Regulatory Information Telephone Number	: US / Canada: (216) 566-2902 Mexico: Not Available
Transportation Emergency Telephone Number	: US / Canada: (800) 424-9300 Mexico: SETIQ 01-800-00-214-00 / (52) 55-5559-1588 24 hours / 365 days a year

Section 2. Hazards identification

Classification of the substance or mixture	: SKIN SENSITIZATION - Category 1 CARCINOGENICITY - Category 2
	Percentage of the mixture consisting of ingredient(s) of unknown oral toxicity: 7.6% Percentage of the mixture consisting of ingredient(s) of unknown dermal toxicity: 7.6% Percentage of the mixture consisting of ingredient(s) of unknown inhalation toxicity: 7.6%
GHS label elements	
Hazard pictograms	
Circul word	
Signal word	: Warning
Hazard statements	: May cause an allergic skin reaction. Suspected of causing cancer.
Precautionary statements	
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.

Date of issue/Date of rev	ision : 1/16/2018	Date of previous issue	: 9/8/2017	Version	: 4.01	1/10
B31W1153 ProCl Deep	assic® Waterborne Interior Ac Base	rylic Semi-Gloss Enamel				

Section 2. Hazards identification

Prevention	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing. Avoid breathing vapor. Contaminated work clothing must not be allowed out of the workplace.		
Response	 IF exposed or concerned: Get medical attention. IF ON SKIN: Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. 		
Storage	: Store locked up.		
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.		
Supplemental label elements	WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.		
	Please refer to the SDS for additional information. Keep out of reach of children. Do not transfer contents to other containers for storage.		
Hazards not otherwise classified	: None known.		

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of identification	: Not available.

CAS number/other identifiers

% by weight	CAS number
7.65 0.33	13463-67-7 928768-73-4
' .(65

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

-,	-		eck for and remove any construction.	ntact lenses. Co	ontinue to rinse fo	or at least 1	0
Inhalation	:	not breathing respiration o aid to give m in recovery p	im to fresh air and keep at g, if breathing is irregular o r oxygen by trained person outh-to-mouth resuscitatio position and get medical at clothing such as a collar, f	r if respiratory a inel. It may be c on. Get medical tention immedia	rrest occurs, prov langerous to the attention. If unco tely. Maintain an	vide artificia person pro onscious, p	al widing blace
Skin contact	:	contaminate Continue to complaints c	lenty of soap and water. R d clothing thoroughly with v rinse for at least 10 minute or symptoms, avoid further ughly before reuse.	water before ren s. Get medical	noving it, or wear attention. In the	gloves. event of an	ıy
Ingestion	:	keep at rest the exposed exposed per unless direct kept low so t anything by and get med	outh with water. Remove of in a position comfortable for person is conscious, give son feels sick as vomiting ted to do so by medical per hat vomit does not enter the mouth to an unconscious per lical attention immediately.	or breathing. If i small quantities may be dangero rsonnel. If vomi ne lungs. Get m person. If uncon	material has beer of water to drink ous. Do not induc ting occurs, the h edical attention. scious, place in r	n swallowed Stop if the ce vomiting lead should Never give recovery po	d and e J d be e osition
Date of issue/Date	of revision	: 1/16/2018	Date of previous issue	: 9/8/2017	Version	: 4.01	2/10
B31W1153	ProClassic® Waterbo Deep Base	orne Interior Acryl	ic Semi-Gloss Enamel				

Section 4. First aid measures

Most important symptoms/e	ffects, acute and delayed			
Potential acute health effect	<u>xts</u>			
Eye contact	No known significant effects or critical hazards.			
Inhalation	: No known significant effects or critical hazards.			
Skin contact	: May cause an allergic skin reaction.			
Ingestion	: No known significant effects or critical hazards.			
Over-exposure signs/symp	<u>itoms</u>			
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: Adverse symptoms may include the following: irritation redness			
Ingestion	: No specific data.			
Indication of immediate med	lical attention and special treatment needed, if necessary			
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. 			
Specific treatments	: No specific treatment.			
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.			

See toxicological information (Section 11)

Section 5. Fire-fighting measures

-	
Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: metal oxide/oxides
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protect	ive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Date of issue/Dat	e of revision	: 1/16/2018	Date of previous issue	: 9/8/2017	Version	:4.01	3/10
B31W1153	ProClassic® Waterb Deep Base	orne Interior Acry	lic Semi-Gloss Enamel				

Section 6. Accidental release measures

Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ntainment and cleaning up
Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits (OSHA United States)

Ingredient name	Exposure limits
Titanium Dioxide	ACGIH TLV (United States, 3/2016).
	TWA: 10 mg/m ³ 8 hours. OSHA PEL (United States, 6/2016).
	TWA: 15 mg/m ³ 8 hours. Form: Total dust
Epichlorohydrin-mercaptoethanol Alcohol	None.

Occupational exposure limits (Canada)

Date of issue/Date	of revision	: 1/16/2018	Date of previous issue	: 9/8/2017	Version	: 4.01	4/10
B31W1153	ProClassic® Waterborr Deep Base	ne Interior Acryli	c Semi-Gloss Enamel				

Section 8 ontrols/nersonal protection Exposure c

Ingredient name		Exposure limits				
None.						
Occupational exposure lin	nits (Mexico)					
Ingredient name		Exposure limits				
None.						
Appropriate engineering controls	local exhaust ventilation or ot	ust, fumes, gas, vapor or mist, use process enclosures, her engineering controls to keep worker exposure to any recommended or statutory limits.				
Environmental exposure controls	vironmental exposure : Emissions from ventilation or work process equipment should be checked to ensure					
Individual protection meas	ures					
Hygiene measures	eating, smoking and using the Appropriate techniques shoul Contaminated work clothing s	ace thoroughly after handling chemical products, before e lavatory and at the end of the working period. d be used to remove potentially contaminated clothing. should not be allowed out of the workplace. Wash reusing. Ensure that eyewash stations and safety station location.				
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.					
Skin protection						
Hand protection	worn at all times when handli necessary. Considering the during use that the gloves are noted that the time to breakth glove manufacturers. In the	us gloves complying with an approved standard should be ing chemical products if a risk assessment indicates this is parameters specified by the glove manufacturer, check e still retaining their protective properties. It should be prough for any glove material may be different for different case of mixtures, consisting of several substances, the cannot be accurately estimated.				
Body protection		nt for the body should be selected based on the task being ved and should be approved by a specialist before				
Other skin protection		v additional skin protection measures should be selected prmed and the risks involved and should be approved by a s product.				
Respiratory protection	appropriate standard or certif	ential for exposure, select a respirator that meets the ication. Respirators must be used according to a n to ensure proper fitting, training, and other important				

Section 9. Physical and chemical properties

Date of issue/Date of revision	: 1/16/2018 Date of previous issue : 9/8/2017	Version : 4.01	5/10	
Boiling point	: 100°C (212°F)			
Melting point	: Not available.			
рН	: 9			
Odor threshold	: Not available.			
Odor : Not available.				
Color	: Not available.			
Physical state	: Liquid.			
Appearance				

Section 9. Physical and chemical properties

Flash point	: Closed cup: >93.3°C (>199.9°F)
Evaporation rate	: 0.09 (butyl acetate = 1)
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: 2.3 kPa (17.5 mm Hg) [at 20°C]
Vapor density	: 1 [Air = 1]
Relative density	: 1.1
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Kinematic (40°C (104°F)): >0.205 cm ² /s (>20.5 cSt)
Molecular weight	: Not applicable.
Aerosol product	
Heat of combustion	: 1.353 kJ/g

Section 10. Stability and reactivity

Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Incompatible materials	: No specific data.
Conditions to avoid	: No specific data.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Chemical stability	: The product is stable.
Reactivity	: No specific test data related to reactivity available for this product or its ingredients.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Titanium Dioxide	Skin - Mild irritant	Human	-	72 hours 300 Micrograms Intermittent	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Date of issue/Date	of revision	: 1/16/2018	Date of previous issue	: 9/8/2017	Version	: 4.01	6/10
B31W1153	ProClassic® Waterbor Deep Base	ne Interior Acryl	ic Semi-Gloss Enamel				

Section 11. Toxicological information

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium Dioxide	-	2B	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure	1	Not available.
Potential acute health effe	cts	
Eye contact	:	No known significant effects or critical hazards.
Inhalation	:	No known significant effects or critical hazards.
Skin contact	:	May cause an allergic skin reaction.
Ingestion	:	No known significant effects or critical hazards.
Symptoms related to the p Eye contact Inhalation Skin contact Ingestion	: : :	sical, chemical and toxicological characteristics No specific data. No specific data. Adverse symptoms may include the following: irritation redness No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health ef	<u>fects</u>
Not available.	
General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.

Date of issue/Date	of revision	: 1/16/2018	Date of previous issue	: 9/8/2017	Version	:4.01	7/10
B31W1153	ProClassic® Waterbo Deep Base	orne Interior Acry	lic Semi-Gloss Enamel				

Developmental effects : No know	n significant effects or critical hazards
---------------------------------	-------------------------------------------

Fertility effects

: No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates Not available.

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Titanium Dioxide	Acute LC50 >1000000 µg/l Marine water	Fish - Fundulus heteroclitus	96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

ailable.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods :	The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
--------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ΙΑΤΑ	IMDG
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
			0/0/2017	 Marrai	on:4.01 8/10
Date of issue/Date of rev				Versie	on :4.01 8/10
	lassic® Waterborne Interior	Acrylic Semi-Gloss Enam	el		

Environmental hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-
Special precautio		consider container sizes mode of transport (sea, suitably for that mode of prior to shipment, and co responsibility of the pers unloading dangerous go substances and on all a	. The presence air, etc.), does transport. All p ompliance with on offering the ods must be tr	e of a shipping description not indicate that the backaging must be r the applicable regule product for transpo ained on all of the rist	product is packaged eviewed for suitability lations is the sole rt. People loading and sks deriving from the
Transport in bulk to Annex II of MAF the IBC Code		: Not available.			
		Proper shipping name	: Not av	ailable.	
		Ship type	: Not av	ailable.	

Section 15. Regulatory information

U.S. Federal regulations : TSCA 5(a)2 final significant new use rules: Alkoxylated Alcohol

SARA 313

SARA 313 (40 CFR 372.45) supplier notification can be found on the Environmental Data Sheet.

California Prop. 65

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

Procedure used to derive the classification

	Classification	Justification
SKIN SENSITIZATION - Catego CARCINOGENICITY - Category		Calculation method Calculation method
<u>History</u>		
Date of printing :	1/16/2018	

Date of printing	: 1/16/2018
Date of issue/Date of	: 1/16/2018
revision	
Date of previous issue	: 9/8/2017
Version	: 4.01

Date of issue/Date	of revision	: 1/16/2018	Date of previous issue	: 9/8/2017	Version	: 4.01	9/10
B31W1153	ProClassic® Waterbo Deep Base	rne Interior Acry	lic Semi-Gloss Enamel				

Section 16. Other information

Key to abbreviations	: ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
	as modified by the Protocol of 1978. ("Marpol" = marine pollution)
	UN = United Nations

Notice to reader

It is recommended that each customer or recipient of this Safety Data Sheet (SDS) study it carefully and consult resources, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. This information is provided in good faith and believed to be accurate as of the effective date herein. However, no warranty, express or implied, is given. The information presented here applies only to the product as shipped. The addition of any material can change the composition, hazards and risks of the product. Products shall not be repackaged, modified, or tinted except as specifically instructed by Sherwin-Williams, including but not limited to the incorporation of non Sherwin-Williams products or the use or addition of products in proportions not specified by Sherwin-Williams. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. The customer/buyer/user is responsible to ensure that his activities comply with all country, federal, state, provincial or local laws. The conditions for use of the product are not under the control of the manufacturer; the customer/buyer/user is responsible to determine the conditions necessary for the safe use of this product. The customer/buyer/user should not use the product for any purpose other than the purpose shown in the applicable section of this SDS without first referring to the supplier and obtaining written handling instructions. Due to the proliferation of sources for information such as manufacturer-specific SDS, the manufacturer cannot be responsible for SDSs obtained from any other source.