



Printing date 10/28/2016 Version Number 1.0 Reviewed on 10/28/2016

#### 1 Identification

## **Product identifier**

Trade name: Bituthene Liquid Membrane Part A

SDS ID Number: 60025

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

## Details of the supplier of the safety data sheet

# Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

## **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

## Classification of the substance or mixture

May cause cancer.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

#### Hazard pictograms



## Danger

#### **Hazard statements**

May cause cancer.

#### **Precautionary statements**

Wear protective gloves/protective clothing/eye protection/face protection.

Do not handle until all safety precautions have been read and understood.

Obtain special instructions before use.

IF exposed or concerned: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1 Reactivity = 1

(Cont. on page 2)

(Cont. from page 1)

# Safety Data Sheet

Printing date 10/28/2016 Version Number 1.0 Reviewed on 10/28/2016

## Trade name: Bituthene Liquid Membrane Part A

#### HMIS-ratings (scale 0 - 4)

HEALTH 2
FIRE 1 Health = \*2
Flammability = 1
REACTIVITY 1
Reactivity = 1

#### Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

#### **Chemical characterization: Mixture**

**Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous c	omponents:	
8052-42-4	Asphalt	20-25%
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	10-20%
130498-29-2	Polycyclic Aromatic Hydrocarbons	0.1-0.3%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

## 4 First-aid measures

# Description of first aid measures

#### **General information:**

Get medical advice/attention if you feel unwell.

#### After inhalation:

If symptoms develop, supply fresh air. If required, provide artificial respiration and seek immediate medical treatment.

## After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

If residue remains, clean with waterless handcream or abrasive soap. Never use solvents.

#### After eve contact:

If contact with residue causes eye irritation, flush eyes with water for at least 15 minutes while holding eyelids open.

After swallowing: Do not induce vomiting; immediately call for medical help.

#### **Information for doctor:**

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

## **5 Fire-fighting measures**

#### **Extinguishing media**

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

**Special hazards arising from the substance or mixture** No further relevant information available.

## **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

USGHS =

Printing date 10/28/2016 Version Number 1.0 Reviewed on 10/28/2016

Trade name: Bituthene Liquid Membrane Part A

(Cont. from page 2)

## 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** Do not allow product to reach sewage system or any water course.

## Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Pick up mechanically.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

## **Handling:**

## Precautions for safe handling

Open and handle receptacle with care.

Prevent formation of aerosols.

Avoid contact with skin and eyes.

Information about protection against explosions and fires: No special measures required.

## Conditions for safe storage, including any incompatibilities

**Storage:** 

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

#### **Control parameters**

#### Components with limit values that require monitoring at the workplace:

#### 8052-42-4 Asphalt

REL (USA) Ceiling limit value: 5\* mg/m³

\*15-min; See Pocket Guide App. A

TLV (USA) Long-term value: 0.5\* mg/m<sup>3</sup>

\*inh. fraction; as benzene-soluble aerosol; BEIp

## Ingredients with biological limit values:

#### 8052-42-4 Asphalt

BEI (USA)

Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

#### 130498-29-2 Polycyclic Aromatic Hydrocarbons

BEI (USA) Medium: urine

Time: end of shift at end of workweek

Parameter: 1-Hydroxypyrene with hydrolysis (nonquantitative)

Additional information: The lists that were valid during the creation were used as basis.

(Cont. on page 4)

Version Number 1.0 Printing date 10/28/2016 Reviewed on 10/28/2016

Trade name: Bituthene Liquid Membrane Part A

(Cont. from page 3)

## **Exposure controls**

#### **Personal protective equipment:**

## General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Store protective clothing separately.

## **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### **Eye protection:**



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

O DI	•	T	T. T	• 1		4.0
y Ph	vsical	and	chem	าตลา	nror	perties
	ybicu	ullu	CHICH	ICUI	PIO	

9 Physical and chemical proper	ues
Information on basic physical	and chemical properties
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Characteristic Not determined.
pH-value (~):	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. 200 °C (392 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not selfigniting. Product does not present an explosion hazard.
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. Not determined.
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.1 g/cm³ (9.18 lbs/gal) Not determined. Not determined. Not determined. Not determined.

(Cont. on page 5) USGHS

Version Number 1.0 Printing date 10/28/2016 Reviewed on 10/28/2016

Trade name: Bituthene Liquid Membrane Part A

		(Cont. from page 4)
Solubility in / Miscibility with	NT - 1 11 11 1107 1 1 - 1	
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water	): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Molecular weight	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

**Reactivity** Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

**Possibility of hazardous reactions** No further relevant information available.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

**Hazardous decomposition products:** 

Carbon monoxide and carbon dioxide

Other potentially hazardous products may also be formed.

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.

## 11 Toxicological information

## Information on toxicological effects

Acute toxicity:

**Primary irritant effect:** 

on the skin: No irritating effect expected on the eye: No irritating effect expected inhalation: No irritating effect expected

Additional toxicological information: May cause cancer.

Carcinogenic categories

IARC (Inter Group 1- Pos	national Agency for Research on Cancer) Human Carcinogenicity: sitive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
69012-64-2	Silica, fume	3
8052-42-4	Asphalt	2B
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	1
130498-29-2	Polycyclic Aromatic Hydrocarbons	2A
NTD (Notion	ad Tayigalagy Duagnam)	

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

USGHS •

Printing date 10/28/2016 Version Number 1.0 Reviewed on 10/28/2016

Trade name: Bituthene Liquid Membrane Part A

(Cont. from page 5)

# 12 Ecological information

## **Toxicity**

Aquatic toxicity:

64742-04-7 Extracts (petroleum), heavy paraffinic distillate solvent

LC/EC/IC50 (static) 18.8 mg/l (algae) (OECD guideline 201)

Persistence and degradability No further relevant information available.

## **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

**Mobility in soil** No further relevant information available.

## Additional ecological information:

General notes: Not known to be hazardous to water.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

#### **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## **Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

14 Transp	ort in	forma	tion

UN-Number
DOT, IMDG, IATA
Not applicable.

UN proper shipping name

**DOT, IMDG, IATA**Not applicable.

Transport hazard class(es)

DOT, IMDG, IATA

Class Not applicable.

Packing group

**DOT, IMDG, IATA** Not applicable.

**Environmental hazards:** 

**Marine pollutant:** No

**Special precautions for user** Not applicable.

Transport/Additional information: Not classified as a dangerous good for transport by road, rail or air.

DOT

Remarks: Not Regulated.

(Cont. on page 7)

Printing date 10/28/2016 Version Number 1.0 Reviewed on 10/28/2016

Trade name: Bituthene Liquid Membrane Part A

(Cont. from page 6)

UN "Model Regulation": Not applicable.

# 15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Carcinogenicity

**North America Chemical Inventory Status** 

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):** 

All ingredients are listed or exempt from listing unless otherwise noted below.

**Right to Know Ingredient Disclosure:** 

69012-64-2 Silica, fume

69102-90-5 1,3-Butadiene, homopolymer, hydroxy-terminated

25791-96-2 Glycerol, propylene oxide polymer

8001-78-3 Castor oil, hydrogenated

1332-58-7 Natural aluminosilicate (Kaolin)

## California Proposition 65

#### Chemicals known to cause cancer:

Extracts (petroleum), heavy paraffinic distillate solvent

Polycyclic Aromatic Hydrocarbons

Quartz (SiO2)

4-vinylcyclohexene

1,3-Butadiene

#### Chemicals known to cause reproductive toxicity for females:

100-40-3 4-vinylcyclohexene

106-99-0 1,3-Butadiene

Chemicals known to cause reproductive toxicity for males:

106-99-0 1,3-Butadiene

Chemicals known to cause developmental toxicity:

106-99-0 1,3-Butadiene

**Carcinogenicity Categories** 

**EPA (Environmental Protection Agency)** 

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Asphalt

Natural aluminosilicate (Kaolin)

NIOSH-Cancer (National Institute for Occupational Safety and Health)

8052-42-4 | Asphalt

Volatile Organic Compounds (VOC) reported per the Emission Standards. (gr/L) 10 gr/L (as applied)

## 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

(Cont. on page 8)

A4

Printing date 10/28/2016 Version Number 1.0 Reviewed on 10/28/2016

Trade name: Bituthene Liquid Membrane Part A

(Cont. from page 7)

# **Department issuing SDS:** GCP Applied Technologies

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

#### **Other Information:**

There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis. Therefore preventing the onset of silicosis will also reduce the cancer risk.

Date of preparation / last revision 10/28/2016 / -

The first date of preparation 03/03/2015

Number of revision times and the latest revision date  $1.0 \, / \, 10/28/2016$ 

USGHS •