

## Safety Data Sheet according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Page: 1/10

Revision: September 20, 2019

#### 1 Identification

Product identifier

Trade name: Pecora 890 NST

• Other means of identification: Pecora 890 Non-Staining Technology

Recommended use and restriction on use

· Recommended use: Sealant

· Restrictions on use: No relevant information available.

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

**Pecora Corporation** 165 Wambold Road Harleysville, PA 19438 215-723-6051

Emergency telephone number:

**CHEMTREC** 

1-800-424-9300 (US/Canada)

### 2 Hazard(s) identification

#### Classification of the substance or mixture

Skin Sens. 1 H317 May cause an allergic skin reaction.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

#### Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:





GHS07 GHS08

· Signal word: Warning

· Hazard statements: H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P272 Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection. P280

P302+P352 If on skin: Wash with plenty of soap and water. Get medical advice/attention if you feel unwell.

P314

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

(Cont'd. on page 2)



Page: 2/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

(Cont'd. of page 1)

P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards There are no other hazards not otherwise classified that have been identified.

## 3 Composition/information on ingredients

Chemical characterization: Mixtures

471-34-1	Calcium carbonate	40-60%
34036-80-1	2-butanone-O,O',O''-(phenylsilylidyne)trioxime  STOT RE 2, H373 Skin Sens. 1, H317	<5%
64741-65-7	Naphtha (petroleum), heavy alkylate  Flam. Liq. 3, H226 Asp. Tox. 1, H304 Skin Irrit. 2, H315; STOT SE 3, H336	<5%
57-11-4	Stearic acid, pure Combustible Dust	<5%
13463-67-7	Titanium dioxide	<1%
556-67-2	Octamethylcyclotetrasiloxane  Flam. Liq. 3, H226 Repr. 2, H361	<1%
1333-86-4	Carbon black	<1%
14808-60-7	Quartz	<1%
35141-30-1	N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine  Eye Dam. 1, H318  Acute Tox. 4, H332; Skin Sens. 1A, H317	<1%

#### Additional information:

Non-classification as a carcinogen is based on non-inhalable form of product. IARC listings for quartz and titanium dioxide note that the substance must be respirable.

For the wording of the listed Hazard Statements, refer to section 16.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

#### 4 First-aid measures

- Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Wash with soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; immediately call for medical help.
- Most important symptoms and effects, both acute and delayed:

Gastric or intestinal disorders when ingested.

(Cont'd. on page 3)



Page: 3/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

(Cont'd. of page 2)

Slight irritant effect on eyes.

Allergic reactions

Danger:

May cause damage to organs through prolonged or repeated exposure.

Suspected of damaging fertility or the unborn child.

Indication of any immediate medical attention and special treatment needed:

Contains 2-butanone-O,O',O''-(phenylsilylidyne)trioxime, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl] ethylenediamine. May produce an allergic reaction.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Carbon dioxide

Fire-extinguishing powder

Gaseous extinguishing agents

Foam

Sand

Water fog / haze

- · For safety reasons unsuitable extinguishing agents: Water stream.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

#### 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Use personal protective equipment as required.

· Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Methods and material for containment and cleaning up

Towel or mop up material and collect in a suitable container.

For larger spills, add sawdust, chalk or other inert binding material, then sweep up and discard.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

Handling

(Cont'd. on page 4)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

(Cont'd. of page 3)

Precautions for safe handling:

Open and handle receptacle with care.

Keep out of reach of children.

Avoid contact with the eyes and skin.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- Information about storage in one common storage facility: Store away from foodstuffs.
- Specific end use(s) No relevant information available.

Exposure co	ontrols/personal protection	
Control paran	neters	
Components w	rith limit values that require monitoring at the workplace:	
471-34-1 Calciu	ım carbonate	
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction	
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction	
TLV (USA)	TLV withdrawn	
57-11-4 Stearic	acid, pure	
EL (Canada)	Long-term value: 10 mg/m³ except stearates of toxic metal	
13463-67-7 Tita	nium dioxide	
PEL (USA)	Long-term value: 15* mg/m³ *total dust	
REL (USA)	See Pocket Guide App. A	
TLV (USA)	Long-term value: 10 mg/m³	
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B	
EV (Canada)	Long-term value: 10 mg/m³ total dust	
LMPE (Mexico)	Long-term value: 10 mg/m³ A4	
556-67-2 Octam	nethylcyclotetrasiloxane	
WEEL (USA)	Long-term value: 10* ppm *OARS WEEL	
1333-86-4 Carb	on black	
PEL (USA)	Long-term value: 3.5 mg/m³	
REL (USA)	Long-term value: 3.5* mg/m³ *0.1 in presence of PAHs;See Pocket Guide Apps.A+C	
TLV (USA)	Long-term value: 3* mg/m³ *inhalable fraction	
EL (Canada)	Long-term value: 3 mg/m³	





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

	(Cont'd. of page 4)
	IARC 2B
EV (Canada)	Long-term value: 3.5 mg/m³
LMPE (Mexico)	Long-term value: 3* mg/m³ A3, *fracción inhalable
14808-60-7 Qua	artz
PEL (USA)	Long-term value: 0.05* mg/m³ *resp. dust; 30mg/m3/%SiO2+2
REL (USA)	Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m³ *as respirable fraction
EL (Canada)	Long-term value: 0.025 mg/m³ ACGIH A2; IARC 1
EV (Canada)	Long-term value: 0.10* mg/m³ *respirable fraction
LMPE (Mexico)	Long-term value: 0.025* mg/m³ A2, *fracción respirable

### **Exposure controls**

### · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Avoid breathing mist, vapors, or spray.

- Engineering controls: No relevant information available.
- · Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device in case of insufficient ventilation.

A NIOSH approved dust respirator should be used for operations generating dust.

#### Protection of hands:

Wear protective gloves to handle contents of damaged or leaking units.

Gloves are advised for repeated or prolonged contact.

- · Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.
- Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

Appearance:

Form: Paste

Color: According to product specification

· Odor: Mild

Odor threshold: Not determined.pH-value: Not determined.

(Cont'd. on page 6)





### according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

	(Cont'd. of pa
Melting point/Melting range:	Not determined.
· Boiling point/Boiling range:	Not determined.
Flash point:	>140 °C (>284 °F)
Flammability (solid, gaseous):	Not applicable.
Auto-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing.
Vapor pressure:	Not determined.
Density:	
Relative density:	1.1-1.3
Vapor density:	Not determined.
Evaporation rate:	Not determined.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/wa	ter): Not determined.
Viscosity	
Dynamic:	Not determined.
Kinematic:	Not determined.
VOC content:	72 g/L
Other information	No relevant information available.

## 10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- Possibility of hazardous reactions Reacts with oxidizing agents.
- Conditions to avoid Excessive heat.
- · Incompatible materials Oxidizers
- Hazardous decomposition products

Under fire conditions only:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

### 11 Toxicological information

(Cont'd. on page 7)



Page: 7/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

(Cont'd. of page 6)

- Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.
- On the eye: Based on available data, the classification criteria are not met.
- · Sensitization:

Contains 2-butanone-O,O',O''-(phenylsilylidyne)trioxime, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl] ethylenediamine. May produce an allergic reaction.

IARC (International Agency for Research on Cancer):

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

13463-67-7	Titanium dioxide	2B
1333-86-4	Carbon black	2B
14808-60-7	Quartz	1

#### NTP (National Toxicology Program):

14808-60-7	Quartz	Κ	

### OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Eve contact.

Skin contact.

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity:

Contains known or suspect carcinogens when inhaled. Product is in non-inhalable form and is nonclassifiable as a carcinogen.

- Reproductive toxicity: Suspected of damaging fertility or the unborn child.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: May cause damage to organs through prolonged or repeated exposure.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

### 12 Ecological information

- Toxicity
- · Aquatic toxicity Harmful to aquatic life with long lasting effects.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- · Mobility in soil: No relevant information available.
- · Other adverse effects No relevant information available.

### 13 Disposal considerations

- Waste treatment methods
- Recommendation:

(Cont'd. on page 8)





according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

(Cont'd. of page 7)

Smaller quantities can be disposed of with household waste.

Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
UN proper shipping name DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
Transport hazard class(es)	
· DOT, ADR/RID/ADN, IMDG, IATA · Class	Not regulated.
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Not regulated.
· Environmental hazards · Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.

### 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- SARA
- Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

(Cont'd. on page 9)



Page: 9/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Revision: September 20, 2019

Trade name: Pecora 890 NST

(Cont'd. of page 8)

- Proposition 65 (California)
- · Chemicals known to cause cancer:

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

	Titanium dioxide	
1333-86-4	Carbon black	
14808-60-7	Quartz	
· Chemicals known to cause developmental toxicity for females:		
None of the ingredients are listed.		
· Chemicals known to cause developmental toxicity for males:		
None of the ingredients are listed.		

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

Reference to chemical component(s) listed below are based on unbound respirable particles and are not generally applicable to product as supplied.

13463-67-7	Titanium dioxide	2B
1333-86-4	Carbon black	2B
14808-60-7	Quartz	1

Canadian Domestic Substances List (DSL):

All ingredients are listed or exempt.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

OSHA: Occupational Safety & Health Administration

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit, 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

Asp. Tox. 1: Aspiration hazard - Category 1

Sources

Website, European Chemicals Agency (echa.europa.eu)

(Cont'd. on page 10)



Page: 10/10

according to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 Regulations

Trade name: Pecora 890 NST

(Cont'd. of page 9)

Revision: September 20, 2019

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by: ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com